Safety Data Sheet

Section1 : Chemical Product and Company Identification		
(a) Product identifier used on the label		
()	: Pro Toner 1357EX RICOH/SAVIN/LANIER (Black toner)	
(b) Other means of	identification	
SDS Number	: 828080	
(c) Recommended	use of the chemical and restrictions on use	
General Use	: The Image Formation of Printing Machine or Copier	
(d) Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party		
Company	: Ricoh Americas Corporation	
Name		
Department	: Environmental Sustainability and Product Compliance	
Address	: 5 Dedrick Place West Caldwell, NJ 07006 USA	
(e) Emergency phone number.		
Telephone	: 1-973-882-2000 or 1-973-882-5218 (For product information) or	
Number	1-800-336-6737 (for emergencies)	
Telefax Number	: 1-973-882-3959	
E-mail	: environmentinfo@ricoh-usa.com	

Section2 : Hazards Identification

	EXPLOSIVES	Not Applicable
	FLAMMABLE GASES	Not Applicable
	FLAMMABLE AEROSOLS	Not Applicable
	OXIDIZING GASES	Not Applicable
	GASES UNDER PRESSURE	Not Applicable
	FLAMMABLE LIQUIDS	Not Applicable
	FLAMMABLE SOLIDS	Classification not possible
	SELF-REACTIVE SUBSTANCES AND MIXTURES	Not Applicable
PHYSICAL	PYROPHORIC LIQUIDS	Not Applicable
HAZARD(S)	PYROPHORIC SOLIDS	Classification not possible
	SELF-HEATING SUBSTANCES AND MIXTURES	Classification not possible
	SUBSTANCES AND MIXTURES, WHICH ON CONTACT WITH WATER, EMIT FLAMMABLE GASES	Classification not possible
	OXIDIZING LIQUIDS	Not Applicable
	OXIDIZING SOLIDS	Classification not possible
	ORGANIC PEROXIDES	Classification not possible
	CORROSIVE TO METALS	Classification not possible
	ACUTE TOXICITY(ORAL)	Not Classified
	ACUTE TOXICITY(DERMAL)	Classification not possible
	ACUTE TOXICITY (INHALATION - GAS)	Not Applicable
	ACUTE TOXICITY (INHALATION - VAPOUR)	Not Applicable
	ACUTE TOXICITY (INHALATION - DUST AND MIST)	Classification not possible
	SKIN CORROSION/IRRITATION	Not Classified
	SERIOUS EYE DAMAGE/EYE IRRITATION	Classification not possible
HEALTH HAZARD(S)	RESPIRATORY SENSITIZER	Classification not possible
	SKIN SENSITIZER	Not Classified
	GERM CELL MUTAGENICITY	Classification not possible
	CARCINOGENICITY	Classification not possible
	TOXIC TO REPRODUCTION	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING SINGLE EXPOSURE	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING REPEAT EXPOSURE	Classification not possible
	ASPIRATION HAZARD	Classification not possible
ENVIRONMENTSL	ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
HAZARD(S)	CHRONIC HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible

Label	element

bel element		
Pictograr	n:	
Signal wo	ord(s):	not applicable
Hazard s	tatement(s):	not applicable
Precautio statemer		not applicable
	[Response]	not applicable
	[Storage]	not applicable
	【Disposal】	not applicable

Specific Hazards Dust explosion (like most finely grained organic powders)

Product Name : Pro Toner 1357EX RICOH/SAVIN/LANIER SDS Number : 828080 Date Prepared : 01/31/2009 Date Modified : 08/01/2014 Date Printed : 08/04/2015



Section3 : Composition, Information on Ingredients

ntents %)
%)
- /
>80
<15
<10
.1-1

Product Name : Pro Toner 1357EX RICOH/SAVIN/LANIER SDS Number : 828080 Date Prepared : 01/31/2009 Date Modified : 08/01/2014 Date Printed : 08/04/2015

Section4 : First Aid Measures

- (a) Necessary measures
 - Inhalation :
 - Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact :

Wash thoroughly with soapy water.

- Eye Contact :
- Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion :
- Drink several glasses of water to dilute ingested toner. Seek medical advice.
- (b) Most important symptoms/effects, acute and delayed.
- Not available
- (c) Indication of immediate medical attention and special treatment needed.
 - Immediate Medical Attention : Immediate medical attention is not required.

Section5 : Fire Fighting Measures

- (a) Suitable (and unsuitable) extinguishing media. Extinguishing Media to Avoid :
 - Not applicable.
- (b) Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products). Specific Hazards :
 - Can form explosive dust-air mixtures when finely dispersed in air.
- (c) Special protective equipment and precautions for fire-fighters.
 - Fire-Fighting Instructions / Specific Method :
 - No special fire protecting method is required. Sprinkling or fire extinguishers can be used. Protection of Firefighters :
 - Wear gloves, glasses, a mask if necessary.

Section6 : Accidental Release Measures

(a) Personal precautions, protective equipment, and emergency procedures.

- Personal Precautions :
- Do not breathe in dust.
- Environment Precautions :
- Do not flush into sewers or watercourses.
- (b) Methods and materials for containment and cleaning up.
- Methods for Cleaning Up :

Fine powder may form explosive dust-air mixture.Confirm there is no source of fire and if there is a source, remove it.Sweep up spilled powder slowly and clean reminder with wet cloth. If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

Section7 : Handling and Storage

(a) Precautions for safe handling. Handling : Technical Measures/Precautions Not applicable Safe Handling Advice Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust. (b) Conditions for safe storage, including any incompatibilities. Storage : **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight. Packaging material Not applicable Specific Use(s) : Image formation in printing machines or copiers.

Section8 : Exposure Controls/Personal Protection

(a) OSHA permissible exposure limit (PEL), American Conference of C (ACGIH)	Governmental Industrial Hygienists
Threshold Limit Value (TLV), and any other exposure limit Control Parameters	
Exposure Limit Value (I) USA OSHA PEL: 15mg/m3 (Total dust) (TWA)	5.0mg/m3 (Respirable fraction)
ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction) DFG MAK : 4.0mg/m3 (Total dust) Personal Protection	3.0mg/m3 (Respirable fraction) 1.5mg/m3 (Respirable fraction)
 (b) Appropriate engineering controls. Technical measures : Use adequate ventilation. None required with intended use. (c) Individual protection measures, such as personal protective equipm Respiratory Protections (Specify Type) None required in normal use. If the limit of exposure concentration respirator. Eye Protection 	
Put on goggles if necessary. Protective Gloves	
Use vinyl or rubber gloves if necessary. Protective Clothing or Equipment Wear chemical-resistant apron or other impervious clothing if nec Hygiene Measures Wash hands after handling.	cessary.
Section9 : Physical and Chemical Properties	
(a)Appearance (physical state, color, etc.)	
Physical state : Solid	
Form : Powder	
Colour : Black (b)Odor : Slightly plastic odor	
(c)Odor threshold : Not available (d)pH : Not applicable	
(d)pH : Not applicable (e)Melting point/freezing point : (Softening point) Approx.110	
(degrees centigrade)(f)Initial boiling point and boiling range : Not applicable	
(g)Flash point is Not applicable	
(h)Evaporation Rate (Butyl Acetate = : Not applicable 1)	
(i)Flammability (solid, : Not flammable gas)	
(j)Upper/lower flammability or explosive : Upper Not available limits	Lower Not available
(k)Vapor Pressure (Pa) : Not applicable (I)Vapor Density (AIR=1) : Not applicable	
(m)Relative density : Approx. 1.2	
 (m)Relative density : Approx. 1.2 (n)Solubility(ies) Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble (o)Partition coefficient: n-octanol/water : Not available 	
(m)Relative density : Approx. 1.2 (n)Solubility(ies) Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble	

Product Name : Pro Toner 1357EX RICOH/SAVIN/LANIER SDS Number : 828080 Date Prepared : 01/31/2009 Date Modified : 08/01/2014 Date Printed : 08/04/2015

RICOH

Section10 : Stability and Reactivity

(a)Reactivity

Hazardous Reaction :

- Dust explosion, like most finely grained organic powders. (b)Chemical stability :
- Stable
- (c)Possibility of hazardous reactions : Not available
- (d)Condition to Avoid : Not applicable in normal use.
- (e)Incompatible materials :
- Not applicable in normal use.

Acute Toxicity for Daphnia

Algae Inhibition Test (IC50)

(EC50)

(f)Hazardous decomposition products : Decomposition products will not occur.

Section 11 · Tovice legical Informati

Section11 : Toxicological Information (a)Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact) ingestion, skin, inhalation, eye contact (b)Symptoms related to the physical, chemical and toxicological characteristics Not available (c)Delayed and immediate effects and also chronic effects from short- and long-term exposure Not available Acute Toxicity Acute Oral Toxicity (LD50) : 5000 or over [mg/kg] (Rat) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : Non-irritant (Rabbit) Acute Eye Irritation : Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.) Sensitization Acute Allergenic Effects : 0 % (Marmot) Mutagenicity : Negative (Ames test) **Reproduction Toxicity** : Does not contain substances listed as hazardous to reproductive health. Not available Teratogenic (d)Numerical measures of toxicity (such as acute toxicity estimates) Not available (e)Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA. Carbon black and titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat. But oral/skin test does not show carcinogenicity. The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use. Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey. Section12 : Ecological Information No data are available on any adverse effects on the environment. Mobility Persistence/Degradabilit : Not available : Not available Bioaccumulation Ecotoxicity Acute Toxicity for Fish (LC50) : Not classified as toxic (EU Directive 1999/45/EC)mg/l/96hr

: Not classified as toxic (EU Directive 1999/45/EC)mg/l/48hr

: Not classified as toxic (EU Directive 1999/45/EC)mg/l/72hr

Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

Section14 : Transport Information

International Regulations

Land Transport		
RID/ADR	: Not applicable	
DOT 49 CFR	: Not applicable	
ADNR	: Not applicable	
Sea Transport		
IMDG Code	: Not applicable	
Air Transport		
ICAO-TI/IATA-DGR	: Not applicable	
UN Number	: Not applicable	
Class	: Not applicable	
Specific Precautionary Transport Measures and Conditions		
Avoid direct sunlight	in quality	

Avoid direct sunlight in quality.

Section15 : Regulatory Information

Regulations

US Information

Information on the label : Not required

TSCA (Toxic Substances Control Act) :

This toner complies with all applicable rules and regulations under TSCA.

SARA (Superfund Amendments and Reauthorization Act) Title III

313 Reportable Ingredients : Not regulated

California Proposition 65 : Not regulated

Canada Information

WHMIS Controlled product : Not a controlled product

EU Information

Information on the label (CLP (EC)No.1272/2008)

Symbol & Indication : Not required

Hazard Statement : Not required

Precautionary Statement : Not required

Special Precautions under CLP (EC)No.1272/2008 Annex II : Not required

This product complies with applicable rules and regulations under (EC)No.1907/2006 Annex XVII



Section16 : Other Information

Explanation of F	Hazardous Materials Identification System [HMIS]& National Fire Protection Association		
[NFPA] Hazard Rating Systems:			
Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an			
	uncontrolled situation: 0=Minimum Hazard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard		
	be used in both systems:		
	Izard Red =Fire Hazard Yellow =Reactivity Hazard White =Indicate a special hazard fy any Personal Protective Equipment reqired [PPE],		
	fy OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water),		
xx(Radioactive)			
Literature Refer ANSI Z400.1-1			
ISO 11014-1			
Commission Directive 91/155/EEC			
	IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, g Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon,		
pp149-261			
U.Mohr, S.Tak	ellman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, kenaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation ats" Fundamental and Applied Toxicology 17,pp280-299		
IARC (2008) "	IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,		
Vol.93"	ENT INTELLICENCE PULLETIN "Evoluction of Health Hazard and Basemmandation		
	ENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation onal Exposure to Titanium Dioxide DRAFT"		
ACGIH-TLV	. Threshold Limit Values for Chemical Substances and Physical Agents and		
OSHA Z-Tab	Biological Exposure Indices ies : US Department of Labor, 29CFR Part 1910 , Tables Z-1, Z-2, and Z-3		
NTP (USA)	: US Department of Health and Human Services National Toxicology		
Program Annual Report on Carcinogens			
Symbol (EC)	DFG-MAK(GER): DFG List of MAK and BAT Value : Regulation (EC)No.1272/2008		
91/155/ EEĆ	: EU Directive 91/155/ EEC		
1999/45/EC	: EU Directive 1999/45/EC 1272/2008 : Regulation (EC)No.1272/2008 of the European Parliamant and of the		
CEF (EC)NO.	Council of 16 December 2008 on classification, labelling and packaging of		
	substances and mixtures, amending and repealing Directive 67/548/EEC		
and 1999/45/EC, and amending Regulation (EC)No. 1907/2006 EC 304/2003 : Regulation (EC) No 304/2003 of the European Parliament and of the			
	Council of 28 January 2003 concerning the export and import of dangerous		
WHMIS Contro	chemicals olled : Canada Workplace Hazardous Information System		
product			
OELs-TWA (A	Australia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:		
	3008 (1995)]		
Abbreviations :			
OSHA PEL ACGIH-TLV	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act TLV (Threshold Limit Values) under American Conference of Governmental Industrial		
	Hygienists		
REACH	EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals		
SVHC	Substances of Very High Concern		
ECHA	The European Chemicals Agency		
DFG-MAK RoHS	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft Restriction of the use of certain Hazardous Substances in Electrical and Electronic		
T OF TO	Equipment		
TWA	Time Weighted Average		
IARC NTP	International Agency for Research on Cancer National Toxicology Program		
WHMIS	Workplace Hazardous Information System		
NOHSC Disclaimer(S) :	National Occupational Health and Safety Commission Act 1985		
	on is furnished without warranty, expressed or implied, except that it is accurate to the		
best knowledge of Ricoh Americas Corporation.			
It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.			
Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.			